



**ULTIMATE
EARS™**

UE SWITCH

ULTIMATE EARS™

NEW UE LIVE

FOR FESTIVALS
ARENAS & STADIUMS



With 7 balanced armatures and a dynamic 6mm neodymium driver, the UE LIVE is the ultimate stage performance piece. It is the fullest, richest, and most powerful in-ear monitor we've ever made!

Tech Specs:

Input sensitivity: 105 dB @ 1 kHz, 1mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 10 Ohms @ 1 kHz

Speaker

configuration:

6 balanced armatures, 1 True Tone Plus driver & one 6mm neodymium dynamic speaker with 5-way crossover.

Input connector:

1/8" headphone jack

UE 18+ PRO

AWARD-WINNING HERITAGE

The new 18+ takes the excellence of the original award-winning UE 18 Pro and adds our proprietary precision True Tone drivers. Feel upper register harmonics, hear improved presence, and enjoy clear warm sound.



Tech Specs:

Input sensitivity: 100 dB @ 1 kHz, 100 mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 37.5 Ohms @ 1 kHz

Speaker

configuration:

6 balanced armatures and 4 way passive crossover.

Input connector:

1/8" headphone jack

UE REFERENCE REMASTERED

FOR PRODUCERS AND STUDIO ENGINEERS

High Resolution studio reference monitors developed in collaboration with Capitol Studios.



Tech Specs:

Input sensitivity: 100 dB @ 1 kHz, 100 mW

Frequency response: 5 Hz – 22 kHz

Noise Isolation: -26 dB

Impedance: 35 Ohms @ 1 kHz

Speaker

configuration:

3 proprietary balanced armatures with multiple passive crossover points and triple bore sound channels.

Input connector:

1/8" headphone jack

ULTIMATE EARS™

UE 11 PRO


FOR BASS PLAYERS, DRUMMERS & DJ's
A dedicated sub delivers tight punchy bass.
The UE 11 PRO was designed specifically
for those who need more low end.



Tech Specs:
Input sensitivity: 119 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 18 Ohms@ 1 kHz
Speaker configuration: 4 proprietary balanced armatures with a 3-way crossover.
Input connector: 1/8" headphone jack

UE 7 PRO

FOR SINGERS, GUITARISTS & KEYS
Robust, powerful, and tuned for live sound.



Tech Specs:
Input sensitivity: 124 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 17.5 Ohms@ 1 kHz
Speaker configuration: 3 proprietary balanced armatures with an integrated 2-way crossover network
Input connector: 1/8" headphone jack

UE 6 PRO

FOR RHYTHM & PERCUSSION
With 2 dynamic 6mm neodymium drivers for the punch and our TrueTone™ balanced armature for the sizzle, the UE 6 PRO sounds like how drums feel!



Tech Specs:
Input sensitivity: 102.5 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 12.5 Ohms@ 1 kHz
Speaker configuration: 2 6mm neodymium dynamic speakers with 1 True Tune balanced armature. 3-way crossover.
Input connector: 1/8" headphone jack

UE 5 PRO

FOR WEEKEND PERFORMANCES
The UE 5 PRO is the original dual driver custom in-ear monitor with exceptional frequency response and extended headroom.



Tech Specs:
Input sensitivity: 119 dB @ 1 kHz, 1mW
Frequency response: 5 Hz – 22 kHz
Noise Isolation: -26 dB
Impedance: 21 Ohms@ 1 kHz
Speaker configuration: 2 balanced armatures with 2-way crossover.
Input connector: 1/8" headphone jack

CASES



Dimensions: 8.3 x 7.3 x 4.1 cm

CABLES



The new UE SuperBax cable and IPX connection system.

No phase connector issues.
Strong connection with double spring mechanism.
sweat-proof, weather-proof, tour-proof.

Maximum strong, but also fine cable quality with low impedance.
New fixable neck slider.

Available in 127 cm (50') and 163 cm (64'), color: transparent or black (with or without earloop)

**ULTIMATE
EARS™**

UE-PRODUCT LINE UP

YOUR BEST CHOICE FOR ALL LIFE'S STAGES

FOR DRUMMERS, PERCUSSIONISTS & BASS PLAYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE 11	4	4 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR GUITAR PLAYERS, KEYBOARDISTS & HORN PLAYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 7	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR SINGERS & VOCALISTS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 7	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR AUDIOPHILES, ORCHESTRA & STUDIO ENGINEERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE RR	3	3 Balanced Armature
Best	UE 18+	6	6 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR DJ'S & PRODUCERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE RR	3	3 Balanced Armature
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

FOR MUSIC LOVERS, PORTABLE MUSIC & FREQUENT FLYERS

TYPE	MODEL	#OF SPEAKERS	SPEAKER DETAILS
Good	UE 5	2	2 Balanced Armatures
Better	UE 6	3	2 Diaphragms + 1 Balanced Armature
Best	UE 11	4	4 Balanced Armatures
Ultimate	UE LIVE	8	7 Balanced Armatures + 1 Diaphragm

UE SWITCH OPTION
CHANGE YOUR DESIGN WITH ONE CLICK



**ULTIMATE
EARS™**

DISTRIBUTED BY

FA FISCHER AMPS

Hans-Ulrich-Brey mann-Str. 3
74706 Osterburken / Germany
Phone: +49 (0) 62 91 - 6 48 79 - 0, Fax: -19
Email: info@fischer-amps.de
www.fischer-amps.de